

Rudeprofiler

Glazing sections

Rudeprofiler (også kaldet rudelister) sikrer, at glasset sidder fast i rammen og beskytter det mod stød og bevægelser.

Rudelister bruges til bl.a. vinduer i biler, både, busser, maskiner, campingvogne og bygninger.


Husk, at nogle rudeprofiler skal bruge en låsekile, som du kan finde i næste kapitel "Låsekiler".

















Hvis du har brug for en rudeprofil med lidt anderledes mål, hjælper vi dig gerne med at finde en løsning.

















Glazing sections ensure that the glass is fixed in the frame and protect it from shocks and movement. Glazing sections are used for windows in cars, boats, buses, machinery, caravans and buildings.















Remember that for several glazing sections you need to use a filler strip, which you can find in the next chapter "Filler strips".

If you need a glazing section with a slightly different size, we will be happy to assist you to find a solution.



32.016S  Material: EPDM, black Hardness: SH 65 Min. radius: 90 mm	32.924  Material: EPDM, black Hardness: SH 60 Min. radius: 30 mm Husk special låsekile 32.924K	32.2024CR  Material: CR, black Hardness: SH 65 Min. radius: 80 mm Oil resistant Min. order: 200 m	32.1024S  Material: EPDM, black Hardness: SH 65 Min. radius: 80 mm
32.1025S  Material: EPDM, black Hardness: SH 65 Min. radius: 80 mm	32.2024M  Material: EPDM, black Hardness: SH 65 Min. radius: 80 mm	32.1025SK  Material: EPDM, black Hardness: SH 65 Min. radius: 80 mm Incl. wedge	32.034S  Material: EPDM, black Hardness: SH 65 Min. radius: 90 mm
32.036S  Material: EPDM, black Hardness: SH 65 Min. radius: 75 mm	32.1045SK  Material: EPDM, black Hardness: SH 65 Min. radius: 80 mm Incl. wedge Min. order: 100 m	32.044S  Material: EPDM, black Hardness: SH 65 Min. radius: 75 mm	32.046S  Material: EPDM, black Hardness: SH 65 Min. radius: 90 mm
32.2045M  Material: EPDM, black Hardness: SH 65 Min. radius: 90 mm	30.8439  Material: EPDM Hardness: SH 65	32.036X  Material: EPDM Hardness: SH 65	32.047  Material: EPDM, black Hardness: SH 65 Min. radius: 90 mm

32.1045S  Material: EPDM, black Hardness: SH 65 Min. radius: 90 mm	32.057 *  Material: EPDM, black Hardness: SH 65 Min. radius: 100 mm Min. order: 300 m	32.255S  Material: EPDM, black Hardness: SH 65 Min. radius: 100 mm	32.064S  Material: EPDM, black Hardness: SH 70
32.066  Material: EPDM, black Hardness: SH 65 Min. radius: 80 mm	32.075  Material: EPDM, black Hardness: SH 65 Min. radius: 100 mm	32.095S  Material: EPDM, black Hardness: SH 65 Min. radius: 115 mm	32.512  Material: EPDM, black Hardness: SH 65 Min. radius: 115 mm
32.165  Material: EPDM, black Hardness: SH 65 Min. radius: 120 mm	32.514S *  Material: EPDM, black Hardness: SH 65 Min. radius: 110 mm Min. order: 300 m	32.516S  Material: EPDM, black Hardness: SH 65 Min. radius: 120 mm	32.523S  Material: EPDM, black Hardness: SH 65 Min. radius: 110 mm
32.527  Material: EPDM, black Hardness: SH 65 Min. radius: 120 mm	32.1037S  Incl.: 2 x 32.309X Incl.: 1 x 32.1307S Material: EPDM, black Hardness: SH 65 Min. radius: 120 mm	32.1640 *  Material: EPDM, black Hardness: SH 65 Min. radius: 120 mm Min. order: 50 m	32.754S  Material: EPDM, black Hardness: SH 65 Min. radius: 100 mm Safety

32.866 *  Material: EPDM, black Hardness: SH 65 Min. radius: 120 mm Safety Min. order: 250 m	32.795S  Material: EPDM, black Hardness: SH 65 Min. radius: 100 mm Safety	32.7125 *  Material: EPDM, black Hardness: SH 65 Min. radius: 120 mm Safety Min. order: 250 m	32.7195S  Material: EPDM, black Hardness: SH 65 Min. radius: 120 mm Safety
31.365 *  Material: EPDM, black Hardness: SH 65 Min. order: 1.000 m	31.116S  Material: EPDM, black Hardness: SH 65	31.112S  Material: EPDM, black Hardness: SH 65	31.145S  Material: EPDM, black Hardness: SH 65
31.148  Material: EPDM, black Hardness: SH 65	31.155  Material: EPDM, black Hardness: SH 65	31.6701 *  Material: EPDM, black Hardness: SH 65	31.6703 *  Material: EPDM, black Hardness: SH 65
31.6702 *  Material: EPDM, black Hardness: SH 65 Min. order: 500 m	32.1307S  Material: EPDM, black Hardness: SH 65		