

# Specialprofiler

## Special profiles


I denne gruppe finder du nogle af vores næsten 7.000 specialprofiler. De kan bruges som forsegling mellem to flader.

Kun fantasien sætter grænser for mulighederne.


---

In this group you will find some of our almost 7.000 special profiles. They are used as a seal between two surfaces.

Only the imagination sets limits to the possibilities.



# Specialprofiler / Special profiles



Flere størrelser kan skaffes. Find den komplette liste af firkant/retangulærprofiler på vores hjemmeside [www.BIBUS-SINDBY.dk](http://www.BIBUS-SINDBY.dk) eller ved at scanne QR-koden forneden.

Other sizes can be ordered. Scan the QR-code below to find complete list or visit our homepage [www.BIBUS-SINDBY.dk](http://www.BIBUS-SINDBY.dk).




Art.	Material	A (mm)	B (mm)	Hardness	Min. order (m)	Adhesive
30.1201KE *	EPDM	12	1	SH 65	2.000	X
30.6502.5E *	EPDM	65	2,5	SH 65	500	
30.3003E	EPDM	30	3	SH 65		
30.4003E *	EPDM	40	3	SH 65 A	1.000	
30.5003K	SBR	50	3	SH 70		X
30.5003E	EPDM	50	3	SH 65		
30.5004E *	EPDM	50	4	SH 60	600	
30.2005E *	EPDM	20	5	SH 65	3.000	
30.2505E *	EPDM	25	5	SH 65	3.000	
30.3305E *	EPDM	33	5	SH 65	3.000	
30.5005E *	EPDM	50	5	SH 65	2.000	
30.6705E *	EPDM	67	5	SH 65	2.000	
30.7505E *	SBR	75	5	SH 65	1.500	
30.10003K	EPDM	100	3	SH 70		X
30.10005E	EPDM	100	5	SH 65	1.500	
30.15005E *	EPDM	150	5	SH 65	1.000	
30.15005KE	EPDM	150	5	SH 65		X
30.3006E *	EPDM	30	6	SH 65	3.000	
30.5808E *	EPDM	58	8	SH 65	1.500	
30.2310E *	EPDM	23	10	SH 60	500	
30.3310E *	EPDM	33	10	SH 65	2.000	
30.5010E *	EPDM	50	10	SH 65	1.500	
30.6710E *	EPDM	67	10	SH 6 5	1.000	
30.15005E *	EPDM	100	10	SH 65	1.000	
30.2525E	EPDM	25	25	SH 45		

Flere størrelser kan skaffes ved forespørgsel  
Other sizes can be obtained on request.


30.262S	30.WI660 *	30.WI747 *	30.9691-2 *
<p>Material: EPDM, black Hardness: SH 65 - 75</p>	<p>Internal: 35 x 40 x 5 mm External: 40 x 45 x 5 mm</p>	<p>Material: EPDM Hardness: SH 60 Min. order: 250 m</p>	<p>Material: EPDM, white Min. order: 504 m</p>
30.7367	30.9691-5 *	30.7696	30.12759
<p>Material: CR, black Hardness: SH 65 Conditional oil resistant</p>	<p>Material: EPDM, white Hardness: SH 65 Min. order: 504 m</p>	<p>Material: CR, black Hardness: SH 65 Conditional oil resistant</p>	<p>Material: EPDM, black Hardness: SH 60A</p>

## 30.OT1024 / 30.OT1024B




Material: Silicone  
 Hardness: SH 60  
 With adhesive  
 30.OT1024: White  
 30.OT1024B: Black

## 30.216S




Material: EPDM, black  
 Hardness: SH 65

## 30.218S




Material: EPDM, black  
 Hardness: SH 75 - 81

## 30.220L




Material: CR, black  
 Hardness: SH 65  
 Length: 6,5 m  
 Conditional oil resistant

## 30.331




Material: EPDM, black  
 Hardness: SH 70

## 30.9996-10




Material: EPDM  
 Hardness: SH 70

## 41.675A / 41.674A




Material: Aluminium  
 41.675A: 5,2 m - untreated  
 41.674A: 5 m - anodized

## 39.1208P




Fender profile with channel  
 Material: PE  
 Length: 3 m

## 30.12957-1




Material: EPDM  
 Hardness: SH 65  
 Length: 2,5 m

## 30.7933




H-profile for aluminium rail  
 Material: EPDM  
 Hardness: SH 70

## 30.12957-2




Material: EPDM  
 Hardness: SH 65  
 Length: 4,3 m

## 30.14226




Material: EPDM  
 Hardness: SH 60A

## 30.7932




Rubber profile for alu. track  
 Material: EPDM  
 Hardness: SH 70

## 30.7935




Material: EPDM, black  
 Hardness: SH 65  
 Length: 2,8 m  
 Min. order: 22,4 m

## 30.7853X



















Material: EPDM, black  
 Min. order: 800 m

## 30.7652



















Rubber profile  
 Material: EPDM  
 Hardness: SH 65

















# Specialprofiler / Special profiles

<p><b>30.14253</b></p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 65A</p>	<p><b>30.333X</b></p>  <p><b>L-profile</b> <b>Material:</b> EPDM <b>Hardware:</b> SH 70 <b>Roll of 50 m</b></p>	<p><b>41.333S</b></p>  <p><b>Steel profile for mounting of rubber profile 30.333</b> <b>Length:</b> 2,6 m</p>	<p><b>30.8469</b> *</p>  <p><b>Rubber profile with drip cap. For loading tail board</b> <b>Material:</b> EPDM <b>Hardness:</b> SH 67 <b>Length:</b> 8 m <b>Min. order: 80 m</b></p>
<p><b>41.678</b></p>  <p><b>Alu c-profil 42 x 10 mm</b> <b>Length:</b> 5,2 m <b>Fits to 30.8469</b></p>	<p><b>30.325X</b></p>  <p><b>Material:</b> EPDM, black <b>Hardness:</b> SH 65 <b>Length:</b> 5 m</p>	<p><b>30.324S</b></p>  <p><b>Material:</b> EPDM, black <b>Hardness:</b> SH 65 <b>Length:</b> 5 m</p>	<p><b>30.324SB</b></p>  <p><b>Material:</b> EPDM, black <b>Hardness:</b> SH 45 (soft) <b>Length:</b> 5 m</p>
<p><b>30.7649-8</b> *</p>  <p><b>D-weatherstrip</b> <b>Material:</b> EPDM, black <b>Hardness:</b> SH 60 <b>Min. order: 1.000 m</b></p>	<p><b>30.7649</b></p>  <p><b>D-weatherstrip</b> <b>Material:</b> EPDM, black <b>Hardness:</b> SH 60</p>	<p><b>30.7649-12</b> *</p>  <p><b>D-weatherstrip</b> <b>Material:</b> EPDM, black <b>Hardness:</b> SH 60 <b>Min. order: 1.000 m</b></p>	<p><b>30.12957-3</b></p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 60</p>
<p><b>30.14098-2</b></p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 60A</p>	<p><b>30.9691-3</b></p>  <p><b>Material:</b> EPDM, black <b>Hardness:</b> SH 65</p>	<p><b>30.7650</b></p>  <p><b>D-weatherstrip</b> <b>Material:</b> EPDM <b>Hardness:</b> SH 70</p>	<p><b>30.5881</b></p>  <p><b>Material:</b> CR, black <b>Hardness:</b> SH 65 <b>Conditional oil resistant</b></p>

















# Specialprofiler / Special profiles

<p><b>30.2151</b> *</p>  <p>Skirt profile Hardness: PVC, <b>white</b> Roll of 14 m <b>Min. order: 560 m</b></p>	<p><b>30.6648 / 30.6648G / 30.6648S</b></p>  <p>Skirt profile Hardness: SH 75 <b>30.6648: EPDM black</b> <b>30.6648G: TPE grey</b> <b>30.6648S: TPE black</b></p>	<p><b>30.2151S</b> *</p>  <p>Material: PVC, black Hardness: SH 75 - 80 <b>Min. order: 280 m</b></p>	<p><b>30.2566</b></p>  <p>Skirt profile Material: PVC, black Hardness: SH 80 Height: 125 mm Length: 1 m <b>Roll of 64 m</b></p>
<p><b>30.257S</b> *</p>  <p>Material: EPDM, black Hardness: SH 65</p>	<p><b>30.258</b> *</p>  <p>Material: EPDM, black <b>Min. order: 1.000 m</b></p>	<p><b>30.5560</b> *</p>  <p>Material: EPDM, black Hardness: SH 65 <b>Min. order: 450 m</b></p>	<p><b>30.7780/4</b></p>  <p>Material: EPDM, black Hardness: SH 65 Length: 4 m</p>
<p><b>30.7300 / 30.7300/4</b></p>  <p>Material: EPDM, black Hardness: SH 65 <b>30.7300 - Length: 3 m</b> <b>30.7300/4 - Length: 4 m</b></p>	<p><b>30.7300/4Y</b> *</p>  <p>Material: EPDM, <b>yellow</b> Hardness: SH 65 <b>Min. order: 64 m</b></p>	<p><b>30.6944</b> *</p>  <p>Material: EPDM, black Hardness: SH 65 <b>Min. order: 200 m</b></p>	<p><b>30.5550M</b></p>  <p>Material: EPDM, black Hardness: SH 65</p>
<p><b>30.2653</b> *</p>  <p>Material: EPDM, black Hardness: SH 65 <b>Min. order: 1.000 m</b></p>	<p><b>30.5981</b></p>  <p>Material: EPDM, black Hardness: SH 65</p>	<p><b>30.8199</b></p>  <p>Material: EPDM, black Hardness: SH 65 Length: 4 m</p>	<p><b>30.8199W</b> *</p>  <p>Material: EPDM, <b>white</b> Hardness: SH 65 Length: 4 m <b>Min. order: 223 m</b></p>

















# Specialprofiler / Special profiles

<p><b>30.7770</b> *</p>  <p>Material: EPDM, black Hardness: SH 65 Min. order: 200 m</p>	<p><b>30.314S</b></p>  <p>Rubber profile Material: EPDM Hardness: SH 60 / 65</p>	<p><b>30.7651</b></p>  <p>Balloon profile Material: EPDM Hardness: SH 65</p>	<p><b>30.313</b></p>  <p>Co-ex profile Material: EPDM / sponge rubber Hardness: SH 80 With adhesive</p>
<p><b>30.7648</b></p>  <p>Material: EPDM, black Hardness: SH 65</p>	<p><b>30.7106</b> *</p>  <p>Material: EPDM, black Hardness: SH 65 Min. order: 1.000 m</p>	<p><b>30.315S</b></p>  <p>Material: EPDM, black Hardness: SH 65 Length: 10 m</p>	<p><b>30.315SB</b></p>  <p>Material: EPDM, black Hardness: SH 45 Length: 10 m</p>
<p><b>30.7613</b> *</p>  <p>Material: EPDM, black Hardness: SH 60 Min. order: 500 m</p>	<p><b>30.50967</b> *</p>  <p>Material: NBR, black Hardness: SH 65 Min. order: 500 m Oil resistant</p>	<p><b>30.13841</b></p>  <p>Material: NBR, black Hardness: SH 45A Oil resistant</p>	<p><b>30.14053</b></p>  <p>Material: NBR, black Hardness: SH 50A Oil resistant</p>
<p><b>30.OT3354</b></p>  <p>Material: Silicone, white Hardness: SH 60</p>	<p><b>30.7645</b> *</p>  <p>Material: EPDM, black Hardness: SH 45 Min. order: 50 m</p>	<p><b>30.13421</b></p>  <p>Material: EPDM Hardness: SH 65</p>	<p><b>30.7559</b> *</p>  <p>Material: NBR, black Hardness: SH 60 Oil resistant Min. order: 30 m</p>

# Specialprofiler / Special profiles

















<p><b>30.14130</b></p>  <p>Co-ex profile Material: EPDM Hardness: SH 70 / density 85-95</p>	<p><b>30.190</b></p>  <p>Material: PVC Hardness: SH 57</p>	<p><b>30.8270</b></p>  <p>Material: EPDM, black Hardness: SH 57 <b>Min. order: 150 m</b></p>	<p><b>30.OT10644</b></p>  <p>Material: Silicone, light grey Ø10 mm balloon</p>
<p><b>30.OT1387</b></p>  <p>Material: Silicone, grey Hardness: SH 60 <b>Min. order: 40 m</b></p>	<p><b>30.OT3272</b></p>  <p>Material: Silicone, blue Hardness: SH 60 <b>Min. order: 50 m</b></p>	<p><b>30.1428</b></p>  <p>Material: Silicone, red/brown Hardness: SH 60</p>	<p><b>30.15170</b></p>  <p>Material: PVC, black Hardness: SH 72</p>
<p><b>32.8518</b></p>  <p>End-stop profile Material: EPDM Hardness: SH 65 <b>Roll of 50 m</b></p>	<p><b>32.8518W</b></p>  <p>Material: EPDM, white <b>RAL 9003</b> Hardness: SH 60 <b>Min. order: 1.500 m</b></p>	<p><b>32.8517</b></p>  <p>End-stop profile Material: EPDM Hardness: SH 65 <b>Roll of 50 m</b></p>	<p><b>32.8520</b></p>  <p>Universal end-stop profile Material: EPDM Hardness: SH 65 <b>Roll of 50 m</b></p>
<p><b>31.369</b></p>  <p>End-stop profile Material: EPDM, black Hardness: SH 65</p>	<p><b>30.12553-2</b></p>  <p>Material: EPDM, black Hardness: SH 60A <b>Min. order: 1.500 m</b></p>	<p><b>30.798</b></p>  <p>Material: EPDM, black Hardness: SH 65</p>	<p><b>30.14163-1</b></p>  <p>Material: EPDM Hardness: SH 65</p>

# Specialprofiler / Special profiles

















30.144	30.5179	30.141	30.142S
 <p>Material: EPDM, black Hardness: SH 60</p>	 <p>Material: EPDM</p>	 <p>Material: EPDM Hardness: SH 60</p>	 <p>Material: EPDM, black Hardness: SH 65</p>
30.14163	30.8331	30.145W	30.145
 <p>Material: EPDM Hardness: SH 65</p>	 <p>Material: EPDM, black Hardness: SH 65</p>	 <p>Material: EPDM, <b>white</b> Hardness: SH 65 <b>Min. order: 300 m</b></p>	 <p>Material: EPDM, black Hardness: SH 70 <b>Min. order: 200 m</b></p>
30.13447-8	30.7663	30.340	30.2438
 <p>Container profile Material: EPDM Hardness: SH 70 Length: 2,5 m <b>Min. order: 500 m</b></p>	 <p>Material: EPDM, black Hardness: SH 65 Length: 5 m</p>	 <p>Material: EPDM, black Hardness: SH 50 Length: 3 m</p>	 <p>Material: EPDM, black Hardness: SH 65 Length: 2,2 m</p>
30.4437	30.7411	30.13062	34.7528-2H
 <p>Material: EPDM, black Hardness: SH 60 <b>Min. order: 85 m</b></p>	 <p>Material: EPDM, black Hardness: SH 65 Grip range: 1 - 1,5 mm</p>	 <p>Material: EPDM Hardness: SH 65 <b>Min. order: 500 m</b></p>	 <p>Material: PVC, <b>white</b></p>



















# Specialprofiler / Special profiles

34.7528-2 *	30.21202300	34.3546 *	30.762
 <p><b>Material:</b> PVC, grey</p>	 <p><b>Material:</b> EPDM <b>Hardness:</b> SH 70A <b>For 6 mm glas plate</b></p>	 <p><b>Material:</b> PVC, white</p>	 <p><b>Material:</b> EPDM, black <b>Hardness:</b> SH 65</p>
30.7266 *	30.12932-2 *	30.29300-130 *	30.29300-129 *
 <p><b>Material:</b> EPDM, black <b>Hardness:</b> SH 65 <b>Min. order: 50 m</b></p>	 <p><b>Material:</b> EPDM, black <b>Hardness:</b> SH 60 <b>Min. order: 400 m</b></p>	 <p><b>Material:</b> CR, black <b>Hardness:</b> SH 65 <b>Conditional oil resistant</b> <b>Min. order: 100 m</b></p>	 <p><b>Material:</b> CR, black <b>Hardness:</b> SH 65 <b>Conditional oil resistant</b> <b>Min. order: 300 m</b></p>
30.16688	30.7811 *	30.11905	30.7249 *
 <p><b>Material:</b> EPDM <b>Hardness:</b> SH 70</p>	 <p><b>Material:</b> EPDM, black <b>Hardness:</b> SH 60 <b>Min. order: 1.500 m</b></p>	 <p><b>Material:</b> Silicone, black <b>Hardness:</b> SH 50</p>	 <p><b>Material:</b> CR, black <b>Hardness:</b> SH 70 <b>Conditional oil resistant</b> <b>Min. order: 500 m</b></p>
30.13049-4	30.13049-2 *	30.13049-1 *	30.13049-5
 <p><b>Material:</b> EPDM, black <b>Hardness:</b> SH 60A</p>	 <p><b>Material:</b> EPDM <b>Hardness:</b> SH 60A <b>Min. order: 5.000 m</b></p>	 <p><b>Material:</b> EPDM <b>Hardness:</b> SH 60A <b>Min. order: 4.000 m</b></p>	 <p><b>Material:</b> EPDM, black <b>Hardness:</b> SH 60A</p>









# Specialprofiler / Special profiles

<p><b>30.4469</b></p>  <p>Material: EPDM Hardness: SH 60 Coated with silicone</p>	<p><b>30.10485</b></p>  <p>Material: EPDM Coated with silicone</p>	<p><b>30.9387-2</b></p>  <p>Material: EPDM With internal cord Min. order: 5.000 m</p>	<p><b>30.13796</b></p>  <p>Material: EPDM, black Hardness: SH 75A Min. order: 1.000 m</p>
<p><b>30.OT1092</b></p>  <p>Material: Silicone, white Min. order: 300 m</p>	<p><b>31.702</b></p>  <p>Material: EPDM, black Hardness: SH 70 Conditional oil resistant</p>	<p><b>30.7507</b></p>  <p>Material: EPDM, black Hardness: SH 65 Min. order: 1.000 m</p>	<p><b>30.10461-2</b></p>  <p>Material: EPDM, with cord</p>
<p><b>30.7845</b></p>  <p>Material: SBR, black Hardness: SH 70 Min. order: 51 m</p>	<p><b>30.16977</b></p>  <p>Material: PVC hard, white With adhesive Min. order: 3.000 m</p>	<p><b>30.5596</b></p>  <p>Material: EPDM, black Hardness: SH 65 Min. order: 500 m</p>	<p><b>52.PP106</b></p>  <p>Material: NR / SBR Cable transmission. Roll 9 m</p>
<p><b>30.13503</b></p>  <p>Material: EPDM, black Hardness: SH 60A For track 41.13459</p>	<p><b>41.13459</b></p>  <p>Aluprofile for gate. Anodized surface. Length: 6 m. Calculated weight: 479 g/m. For profile: 30.13503</p>	<p><b>41.13459X</b></p>  <p>1/2 aluprofile for gate 21,5 x 40 mm. Anodized surface. Length: 6 m. Calculated weight: 239 g/m For profile: 30.13503 Min. order: 50 pcs. + add on costs</p>	<p><b>30.9215</b></p>  <p>Material: EPDM Hardness: SH 65 - 70</p>

# Specialprofiler / Special profiles

<p><b>30.9826-1</b></p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 70</p>	<p><b>30.9826-2</b></p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 70</p>	<p><b>30.10036</b></p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 70</p>	<p><b>30.9996-6</b> *</p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 60 <b>Min. order:</b> 1.200 m</p>
<p><b>30.13242</b></p>  <p><b>Material:</b> EPDM co-ex <b>Hardness:</b> SH 85 / 62 <b>Length:</b> 3.000 mm <b>(Rail see 41.670)</b></p>	<p><b>41.670</b></p>  <p><b>Ellexeret alu.</b> 3 m med montagehuller. Ø4 hver 200 mm. <b>For profile 30.13242</b></p>	<p><b>30.16239</b></p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 70</p>	<p><b>30.9996-5</b></p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 70</p>
<p><b>30.9387-1</b></p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 70 <b>With cord</b></p>	<p><b>30.9996-4</b></p>  <p><b>Material:</b> EPDM <b>Hardness:</b> SH 70</p>	<p><b>30.9437-100</b></p>  <p><b>Ventilation ring</b> <b>Material:</b> EPDM, black <b>Hardness:</b> SH 60 - 65</p>	<p><b>30.9437-125</b></p>  <p><b>Ventilation ring</b> <b>Material:</b> EPDM, black <b>Hardness:</b> SH 60 - 65</p>
<p><b>30.9437-160</b></p>  <p><b>Ventilation ring</b> <b>Material:</b> EPDM, black <b>Hardness:</b> SH 60 - 65</p>	<p><b>30.9437-200</b></p>  <p><b>Ventilation ring</b> <b>Material:</b> EPDM, black <b>Hardness:</b> SH 60 - 65</p>	<p><b>30.9437-250</b></p>  <p><b>Ventilation ring</b> <b>Material:</b> EPDM, black <b>Hardness:</b> SH 60 - 65</p>	<p><b>30.9437-315</b></p>  <p><b>Ventilation ring</b> <b>Material:</b> EPDM, black <b>Hardness:</b> SH 60 - 65</p>

## Specialprofiler / Special profiles

30.9437-400	30.9437-500	45.205SX	45.209BX
 <p>Ventilation ring Material: EPDM, black Hardness: SH 60 - 65</p>	 <p>Ventilation ring Material: EPDM, black Hardness: SH 60 - 65</p>	 <p>Material: PVC, silver grey</p>	 <p>Material: PVC, black</p>
45.210BX	45.210C / 45.210CX	45.208	41.406
 <p>Material: PVC, white</p>	 <p>Material: PVC, off white</p>	 <p>Material: PVC, blue</p>	 <p>Water gutter, unpolished Size: 17 x 24 Length: 5 m</p>

## Alu-profiler / Alu profiles

Vi kan skaffe alu-profiler i mange forskellige størrelser og former.

We can get alu profiles in many different sizes and shapes.

